



Marketing Offerings



Header Boards



ID: QBHB3614

Substrate Option:
PVC Board

14"

36"



ID: QBHB3610

10"

ID: QBHB4810

10"



48"

ID: QBHB4818

18"





Signs



Substrate Option:
PVC Board

10"

ID: QBS10

48"



18"

ID: QBS18

48"



Banners



24"

70"

ID: QBVB01

ID: QBHB01




70"

24"



Literature



8.5"



11"

ID: QBC01


Available Hard Copy and Digital



Dispenser Racks


1 lb Box Dispenser

ID: QBDR01



5 lb Box Dispenser


ID: QBDR05





Dispenser Magnets

ID: QBM1



4.75"

5.75"

Substrate Option:
Magnet

ID: QBM5



5.5"

2"



Shelf Labels



2.5"

Substrate Option:
Card Stock

ID: QBL45

4.5"



2.5"

ID: QBL55

5.5"



Packaged Nail Signs

ID: QBAV01

Substrate Option:
PVC Board

Quick Build

NAIL SIZES (ACTUAL SIZE)
 Choose not apply to sinkers, spikes or blued nails. Nails with a squared shoulder under the head are measured from under the head to the tip of the point. All other nails and spikes are measured overall.

Nail Size	Quantity
4d	294
5d	231
6d	167
7d	134
8d	101
10d	66
12d	51
16d	37
20d	29

NAIL STYLES

HEAD STYLES

- FLAT
- COUNTERSUNK
- BRAD
- FINISH
- DUPLEX
- CUPPED

SHANK STYLES

- SMOOTH SHANK
- RING SHANK
- SCREW SHANK
- FLUTED SHANK
- BARBED SHANK

FINISHES

- BLUED** - heat-treated to form a thin oxide film on the surface, bluish in color.
- BRIGHT** - nails which have a natural, uncoated steel finish.
- ELECTRO GALVANIZED (EG)** - an electronic process which coats nails with a smooth, thin layer of rust-inhibiting zinc. Not recommended for exterior use. Galvanized nails are rust resistant, not rust proof.
- HOT-DIP GALVANIZED (HDG)** - a hot tumbling or hot-dipped process which coats the nail with a heavy layer of zinc to provide the best corrosion resistance possible as well as enhancing holding power. Hot Dip Galvanized nails are manufactured to the ASTM A-153 specification and are ACO compliant.
- PHOSPHATE COATED (PC)** - a chemical etching process that provides greater holding power.
- STAINLESS STEEL** - offers the best defense against rust and corrosion. ACO compliant.
- VINYL COATED (VC)** - a thin layer of liquid vinyl is applied during the production process. This coating allows for easier nail-driving and provides greater holding power.

Proudly Distributed By
BMD
Building Material Distributors, Inc.
An Employee Owned Company

YOUR LOGO HERE

17"

7.75"



Packaged Nail Headers

Substrate Option:
PVC Board

Quick Build EXTERIOR APPLICATION

ELECTRO GALVANIZED BOX Use where some exposure to weather is expected; exterior siding and trim and outdoor projects that will be painted or stained.	HOT GALVANIZED BOX Use where full exposure to weather and elements is expected and with pressure treated lumber. For decks, fences and outdoor projects.	HOT GALVANIZED COMMON Use for framing or outdoor, unprotected projects such as deck posts, joists, decks and carports. Use with pressure treated lumber and where extra holding power is needed.	ELECTRO GALVANIZED FINISH Use for exterior trim and moulding where material is painted or stained.	HOT GALVANIZED FINISH Use for outdoor projects where material will be left to weather naturally, such as patios, decks, trailers and trim.	HOT GALVANIZED SCREW SHANK Use for deck board and outdoor framing where no movement or nail "popping" is desired. Excellent holding power.	ELECTRO GALVANIZED STAPLES Use for wire fencing, cages, cages and enclosures. Features barbed shank for better holding power.

Additional products available

YOUR LOGO HERE

BMD
Building Material Distributors, Inc.
An Employee Owned Company

ID: QBFS01

13.5"

36"

Quick Build ROOFING & SIDING NAILS

ELECTRO GALVANIZED ROOFING Use to hold roofing paper and composite shingles. design resists pull through.	HOT GALVANIZED ROOFING Use in high wind and coastal areas to hold down roofing paper and composite shingles. Hot galvanizing provides long lasting corrosion resistance.	ALUMINUM SCREW SHANK WITH NEOPRENE WASHER Use for aluminum and plastic corrugated roofing panels. Washer cushions roofing and seals nail holes against moisture. Good level of corrosion resistance.	ELECTRO GALVANIZED RING SHANK WITH NEOPRENE WASHER Use for all types of metal roofing. Neoprene washer seals holes against moisture.	COPPER ROOFING WITH RING SHANK Use for copper roofing, copper flashing and tile roofing.

Additional products available

YOUR LOGO HERE

BMD
Building Material Distributors, Inc.
An Employee Owned Company

ID: QBFS03

Quick Build DECK & DRYWALL SCREWS

SELF DRILLING DRYWALL Use for making light weight attachments to drywall. Eliminates the need for pre-drilling holes.	FINETHREAD DRYWALL Use for drywall application into light gauge steel studs.	COARSE THREAD DRYWALL Use for drywall application into wood studs. Excellent holding power.	YELLOW ZINC COATED SCREWS Use as an interior screw for soffits and light framing. Comes with counter-sunk Phillips head.	DACROTIZED COATED DECK Use for decking and outdoor projects. Comes with Phillips head and sharp point or Type T7 tip and oversized shank for greater holding power. Duro-galvanization for extended corrosion resistance.	CEMENT BOARD Use for holding tile backer board to subfloors and counters.

Additional products available

YOUR LOGO HERE

BMD
Building Material Distributors, Inc.
An Employee Owned Company

ID: QBFS04

Quick Build GENERAL CONSTRUCTION

GREEN VINYL SINKER Use for general framing of residential and commercial buildings. Vinyl coating for increased holding and strength.	BRIGHT BOX Use for light framing, roofing, and sidewall sheathing where a thinner shank is preferable.	BRIGHT DUPLEX Use for heavier framing, timbers and beams where wood splitting is not a concern. Large head design won't pull through.	BRIGHT FINISH Use for cement framing, bracing and temporary connections. Nails can be easily removed at a later time.	JOIST HANGER Use to attach all joist hangers, straps and metal connectors. Available in both bright and galvanized finishes.	RING SHANK PLYWOOD Use for laying plywood floor or subfloor over existing flooring or wood joists.

Additional products available

YOUR LOGO HERE

BMD
Building Material Distributors, Inc.
An Employee Owned Company

ID: QBFS02

Quick Build SPECIALTY APPLICATION

HARDENED CONCRETE Use to hold bottom plate and furring strips to concrete floor and walls. Attaches cupped lock strip to concrete floors. They drive straight and are timely; no drilling required.	WADDLED FURRING Use to hold stucco wire to framing and backing paper. Spacer allows standoff for application of stucco.	BLUED PLASTERBOARD Use on plaster lath and other projects. Also available in a blued box nail.	CUPPED HEAD DRYWALL Use for general interior drywall application. Cupped head holds topping compound.	RING SHANK DRYWALL Use when extra holding power is needed for drywall application. Ring shank prevents "sagging". (Available in both bright and galvanized.)

Additional products available

YOUR LOGO HERE

BMD
Building Material Distributors, Inc.
An Employee Owned Company

ID: QBFS05

225 Elm Ave
Galt, Ca 95632
bmdusa.com





Premium Deck Screw Header Board

Substrate Option:
PVC Board

ID: QBPDSH01

Quick Build **PREMIUM DECK SCREWS**

TYPE 17
Type 17 point reduces the need for pre-drilling
Nibs under head provide improved countersinking into material

SKT® COATING
Superior SKT® Coating provides anti-corrosion and less friction. 1000 hours Salt Spray Test approved. Available in four colors.

ACQ COMPATIBLE
ACQ Compatible in conformance with AWPA (American Wood Protection Association)
"Fasteners treated with a durable ACQ corrosion-resistant proprietary coating have more of a safety factor than standard coated carbon steel fasteners."
- NADRA (North American Deck and Railing Association)

6-POINT STAR DRIVE
6-Point Star Drive helps prevent stripped screw heads while providing more torque

Grey
Green
Cedar
Red Brown

36"
13.5"



Premium Deck Screw Literature

Available Hard Copy and Digital

NEW TYPE 17 PREMIUM DECK SCREW

LOCK & LOAD YOUR SAVINGS

Gold	Receive \$100 Cabela's Gift Card + add'l 10% off + Stocking Dealer Status* with opening order of \$2,000 or more.
Silver	Receive \$50 Cabela's Gift Card + add'l 10% off + Stocking Dealer Status* with opening order of \$1,500 or more.
Bronze	Receive add'l 10% off + Stocking Dealer Status* with opening order of \$1,000 or more.

*Receive 10% discount on ALL future Premium Deck Screw with Stocking Dealer Status

Grey

Green

Cedar

Red Brown

6-POINT STAR DRIVE

6-Point Star Drive helps prevent stripped screw heads while providing more torque.

Nibs under head provide improved countersinking into material

TYPE 17

Type 17 point reduces the need for pre-drilling.

SKT® COATING

Superior SKT® Coating provides anti-corrosion and less friction. 1000 hours Salt Spray Test approved.




11"

ID: QBPDSL01

8.5"



Premium Deck Screw Dispenser Magnets

ID: QBPDSM1



4.75"

Substrate Option:
Magnet

5.75"

ID: QBPDSM5



2"

5.5"



Premium Deck Screw Shelf Labels



2.5"

Substrate Option:
Card Stock

ID: QBL45

4.5"



2.5"

ID: QBL55

5.5"



Premium Deck Screw Promo Collateral



Select DECK

Our ACQ compatible Premium Exterior Deck Screws come in multiple colors and sizes to suit your project needs. Available in a 1 lb Box, 5 lbs Box, and Bulk Carton.

Quick Build

QuickDECK
PREMIUM FASTENERS

• Green
• Red Brown

STAR DRIVE BIT INCLUDED

Available Sizes:

• 7" X 1-1/4"	uses T-20 bit
• 7" X 1-5/8"	uses T-20 bit
• 8" X 2"	uses T-20 bit
• 9" X 2-1/2"	uses T-25 bit
• 9" X 3"	uses T-25 bit
• 10" X 3-1/2"	uses T-25 bit
• 10" X 4"	uses T-25 bit

BMD
Manufactured to ASTM #F1667
For BMD Inc, Galt, CA
www.bmdusa.com

ID: QBPDSS1